

Preparations

INFO: This is a shortened version of the [Arch Wiki installation guide](#).

Download an ISO from the [Arch Linux download](#) page, either via Torrent or HTTP from a [mirror nearest](#) to you.

Preparing install media

After you downloaded the image you need to flash it to physical media to boot your machine from it, i.e. a USB flash drive.

WARNING: All data on the USB flash drive will be lost!

Windows

On Windows you can use Balena etcher to flash ISOs to USB. Connect your USB to your computer, load the ISO you just downloaded in etcher, select the USB as target and start the flashing process. A pop-up might appear asking you to confirm to overwrite the USB flash drive.

macOS

Connect your USB flash drive to your Mac. Launch `Terminal.app` and determine the path of the USB flash drive:

```
diskutil list
```

This will list all drives connected to your Mac:

```
/dev/disk0 (internal, physical):
#:          TYPE NAME                SIZE          IDENTIFIER
0:          GUID_partition_scheme     *1.0 TB      disk0
1:          EFI EFI                   314.6 MB     disk0s1
2:          Apple_APFS Container disk1  1.0 TB      disk0s2
```

```
/dev/disk1 (synthesized):
```

#:	TYPE	NAME	SIZE	IDENTIFIER
0:	APFS Container Scheme	-	+1.0 TB	disk1
		Physical Store		disk0s2
1:	APFS Volume	Macintosh HD - Daten	697.5 GB	disk1s1
2:	APFS Volume	Preboot	1.8 GB	disk1s2
3:	APFS Volume	Recovery	1.1 GB	disk1s3
4:	APFS Volume	VM	5.4 GB	disk1s4
5:	APFS Volume	Macintosh HD	8.8 GB	disk1s5
6:	APFS Snapshot	com.apple.os.update-...	8.8 GB	disk1s5s1

```
/dev/disk2 (external, physical):
```

#:	TYPE	NAME	SIZE	IDENTIFIER
0:	FDisk_partition_scheme		*15.4 GB	disk2
1:		0xEF	10.4 MB	disk2s2

Look for the device with the line `external`. In this example it's `/dev/disk2 (external, physical)` with a capacity of ~16 GB.

macOS might auto-mount the drive when you connect it. Make sure to unmount it before flashing:

```
diskutil unmountDisk /dev/disk2
```

Use `dd` to flash the ISO image directly to your USB flash drive (adjust according to the output of `diskutil list`):

HINT: Note the 'r' before 'disk', which uses the raw device, which makes the transfer much faster.

ATTENTION: This command will run silently.

WARNING: This will delete all data on the device. Make sure to supply the correct target or severe data loss may occur!

```
sudo dd if=path/to/archlinux.iso of=/dev/rdisk2 bs=1m
```

After flashing is done, macOS might complain it can't read the drive. This is expected, the drive will still be bootable.

Linux

Connect your USB flash drive to your computer.

GNOME Disk Utility

If you're on GNOME you can open the ISO image by right-clicking it and opening it with GNOME Disk Utility. Then select the inserted USB flash drive as target and click *Restore*.

Command line

Determine your USB flash drive's device path with `lsblk`:

NAME	FSTYPE	LABEL	UUID	MOUNTPOINT
sda				
├─sda1	vfat		C4DA-2C4D	/boot
├─sda2	swap		5b1564b2-2e2c-452c-bcfa-d1f572ae99f2	[SWAP]
└─sda3	ext4		56adc99b-a61e-46af-aab7-a6d07e504652	/
sdb				
└─sdb1	vfat	USB	2C4D-C4DA	/run/user/1000/usb

Flash the ISO image to the USB flash drive with `dd`:

```
sudo dd if=path/to/archlinux.iso of=/dev/sdb bs=4M conv=fsync oflag=direct status=progress
```

Revision #8

Created 2021-04-01 14:23:02 UTC by Sebin

Updated 2023-12-15 16:21:48 UTC by Sebin